10/541,991

Welcome to STN International * * * * * STN Columbus * * * * * * FILE 'HOME' ENTERED AT 10:40:39 ON 29 OCT 2007 => file reg => Uploading C:\Program Files\Stnexp\Queries\Queries\10541991.str chain nodes : 7 8 9 10 11 15 16 25 26 27 ring nodes : 1 2 3 4 5 6 17 18 19 20 21 22 chain bonds : 5-7 7-8 8-9 9-10 9-11 11-15 15-16 16-22 20-25 25-26 26-27 ring bonds : 1-2 1-6 2-3 3-4 4-5 5-6 17-21 17-22 18-19 18-22 19-20 20-21 exact/norm bonds : 9-10 9-11 11-15 16-22 17-21 17-22 18-19 18-22 19-20 20-21 20-25 25-26 26-27 exact bonds : 5-7 7-8 8-9 15-16 normalized bonds : 1-2 1-6 2-3 3-4 4-5 5-6 isolated ring systems : containing 1 : 17 : Match level: 1:Atom 2:Atom 3:Atom 4:Atom 5:Atom 6:Atom 7:CLASS 8:CLASS 9:CLASS 10:CLASS 11:CLASS 15:CLASS 16:CLASS 17:Atom 18:Atom 19:Atom 20:Atom 21:Atom 22:Atom 25:Atom 26:CLASS 27:CLASS Generic attributes : 25: Saturation : Unsaturated Number of Carbon Atoms : less than 7 Type of Ring System : Monocyclic STRUCTURE UPLOADED L1=> s 11 sam 1 SEA SSS SAM L1 L2 => s l1 full 147 SEA SSS FUL L1 T.3 => file caplus => s 13L47 L3

: => s 14 and pd<july 2001</pre>

21762613 PD<JULY 2001 (PD<20010700) 1 L4 AND PD<JULY 2001

=> dis 15 bib abs hitstr

- L5 ANSWER 1 OF 1 CAPLUS COPYRIGHT 2007 ACS on STN
- AN 2004:162444 CAPLUS Full-text
- DN 140:212060
- TI DNA encoding a human melanin concentrating hormone receptor (MCH1) and uses thereof and preparation of 4-phenylpiperidine derivatives as human MCH1 receptor antagonists
- IN Salon, John A.; Laz, Thomas M.; Nagorny, Raisa; Wilson, Amy E.; Craig, Douglas A.
 - PA USA

L5

- SO U.S. Pat. Appl. Publ., 180 pp., Cont.-in-part of U.S. Ser. No. 899,732. CODEN: USXXCO
- DT Patent
- LA English
- FAN.CNT 4

GI

FAN.	PATENT NO.				KIND DATE										DATE				
PI	WO		0392	79	A1 20040226 A2 20000706			Ţ											
	, ,	2000 W: RW:	AE, CZ, IS, MG, SL, GH,	AL, DE, JP, MK, TJ, GM,	DK, KE, MN, TM, KE,	AT, EE, KG, MW, TR, LS,	AU, ES, KP, MX, TT, MW,	AZ, FI, KR, NO, TZ, SD,	BA, GB, KZ, NZ, UA, SL,	GD, LC, PL, UG, SZ,	GE, LK, PT, US, TZ,	GH, LR, RO, UZ, UG,	GM, LS, RU, VN, ZW,	HR, LT, SD, YU, AT,	HU, LU, SE, ZA, BE,	ID, LV, SG, ZW CH,	IL, MA, SI, CY,	IN, MD, SK, DE,	
		2003 2004	CG, 0826	CI, 23	CM,		GN,	GR, GW, 2003 2004	ML, 0501	MR,	NE, US 2	SN, 001-	TD, 8997	TG 32		2	вЈ, 0010 0040	705	
	WO	2004 W: RW:	AE, CN, GE, LK, NO, TJ, AT, IT, GA,	AG, CO, GH, LR, NZ, TM, BE, LU, GN,	AL, CR, GM, LS, OM, TN, BG, MC,	AM, CU, HR, LT, PG, TR, CH, NL, GW,	AT, CZ, HU, LU, PH, TT, CY, PT,	2006 AU, DE, ID, LV, PL, TZ, CZ, RO, MR,	AZ, DK, IL, MA, PT, UA, DE, SE, NE,	DM, IN, MD, RO, UG, DK, SI, SN,	DZ, IS, MG, RU, US, EE, SK, TD,	EC, JP, MK, SC, UZ, ES, TR,	EE, KE, MN, SD, VC, FI, BF, BW,	EG, KG, MW, SE, VN, FR, BJ, GH,	ES, KP, MX, SG, YU, GB, CF, GM,	FI, KR, MZ, SK, ZA, GR, CG, KE,	GB, KZ, NA, SL, ZM, HU, CI, LS,	GD, LC, NI, SY, ZW IE, CM, MW,	TM
PRAI	US US US	1999 2000 2001 1998 2003	-US3 -610 -899 -224	1169 635 732 426		A2 B2 A2		UG, 1999 2000 2001 1998 2003	1230 0705 0705 1231	ΔW,	AM,	ΑΔ,	DI,	NG,	ΚΔ,	MD,	NO,		IM

AB This invention provides an isolated nucleic acid encoding a human MCH1 receptor, a purified human MCH1 receptor, vectors comprising isolated nucleic acid encoding a human MCH1 receptor, cells comprising such vectors, antibodies directed to a human MCH1 receptor, nucleic acid probes useful for detecting nucleic acid encoding human MCH1 receptors, antisense oligonucleotides complementary to unique sequences of nucleic acid encoding human MCH1 receptors, transgenic, nonhuman animals which express DNA encoding a normal or mutant human MCH1 receptor, methods of isolating a human MCH1 receptor, methods of treating an abnormality that is linked to the activity of a human MCH1 receptor, as well as methods of determining binding of compds. to mammalian MCH1 receptors. This invention further provides a method of treating a subject suffering from urinary incontinence which comprises administering to the subject an amount of an MCH1 antagonist effective to treat the subject's urinary incontinence or overactive bladder. Various 4phenylpiperidine derivs., e.g (I), were synthesized and tested as human MCH1 receptor antagonists.

IT 487049-38-7P, N-[3-[1-[(3S)-3-[[(4-Fluorophenyl)acetyl]amino]-3 phenylpropyl]-4-piperidinyl]phenyl]-2-methylpropanamide
487051-75-2P, N-[3-[1-[3-[(Diphenylacetyl)amino]propyl]-4 piperidinyl]phenyl]-2-methylpropanamide
RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU
(Therapeutic use); BIOL (Biological study); PREP (Preparation); USES
(Uses)

(DNA encoding human melanin concentrating hormone receptor (MCH1) and uses thereof and preparation of phenylpiperidine derivs. as human MCH1 antagonists)

RN 487049-38-7 CAPLUS

CN Benzeneacetamide, 4-fluoro-N-[(1S)-3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-piperidinyl]-1-phenylpropyl]- (CA INDEX NAME)

Absolute stereochemistry.

RN 487051-75-2 CAPLUS

CN Benzeneacetamide, N-[3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-

AΒ This invention provides an isolated nucleic acid encoding a human MCH1 receptor, a purified human MCH1 receptor, vectors comprising isolated nucleic acid encoding a human MCH1 receptor, cells comprising such vectors, antibodies directed to a human MCH1 receptor, nucleic acid probes useful for detecting nucleic acid encoding human MCH1 receptors, antisense oligonucleotides complementary to unique sequences of nucleic acid encoding human MCH1 receptors, transgenic, nonhuman animals which express DNA encoding a normal or mutant human MCH1 receptor, methods of isolating a human MCH1 receptor, methods of treating an abnormality that is linked to the activity of a human MCH1 receptor, as well as methods of determining binding of compds. to mammalian MCH1 receptors. This invention further provides a method of treating a subject suffering from urinary incontinence which comprises administering to the subject an amount of an MCH1 antagonist effective to treat the subject's urinary incontinence or overactive bladder. Various 4phenylpiperidine derivs., e.g (I), were synthesized and tested as human MCH1 receptor antagonists.

IT 487049-38-7P, N-[3-[1-[(3S)-3-[[(4-Fluorophenyl)acetyl]amino]-3-phenylpropyl]-4-piperidinyl]phenyl]-2-methylpropanamide 487051-75-2P, N-[3-[1-[3-[(Diphenylacetyl)amino]propyl]-4-piperidinyl]phenyl]-2-methylpropanamide RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(DNA encoding human melanin concentrating hormone receptor (MCH1) and uses thereof and preparation of phenylpiperidine derivs. as human MCH1 antagonists)

RN 487049-38-7 CAPLUS

CN Benzeneacetamide, 4-fluoro-N-[(1S)-3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-piperidinyl]-1-phenylpropyl]- (CA INDEX NAME)

Absolute stereochemistry.

RN 487051-75-2 CAPLUS

CN Benzeneacetamide, N-[3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-

piperidinyl]propyl]- α -phenyl- (9CI) (CA INDEX NAME)

=> s 14 not 15

L6 6 L4 NOT L5

=> dis 16 1-6 bib abs fhitstr

- L6 ANSWER 1 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN
- AN 2007:836912 CAPLUS Full-text
- DN 147:335595
- TI Synthesis and SAR Investigations for Novel Melanin-Concentrating Hormone 1 Receptor (MCH1) Antagonists Part 2: A Hybrid Strategy Combining Key Fragments of HTS Hits
- AU Chen, Chien-An; Jiang, Yu; Lu, Kai; Daniewska, Irena; Mazza, Christine G.; Negron, Leonardo; Forray, Carlos; Parola, Tony; Li, Boshan; Hegde, Laxminarayan G.; Wolinsky, Toni D.; Craig, Douglas A.; Kong, Ron; Wetzel, John M.; Andersen, Kim; Marzabadi, Mohammad R.
- CS Departments of Chemistry Cellular Science and Target Discovery and Assessment, Lundbeck Research USA, Paramus, NJ, 07652-1413, USA
- SO Journal of Medicinal Chemistry (2007), 50(16), 3883-3890 CODEN: JMCMAR; ISSN: 0022-2623
- PB American Chemical Society
- DT Journal
- LA English
- AB A novel series of melanin-concentrating hormone (MCH1) receptor antagonists based on combining key fragments from the high-throughput screening (HTS) hits compound 2 (SNAP 7941) and compound 5 (chlorohaloperidol) are described. The resultant analogs, exemplified by compds. 11a-11h, 15a-15h, and 16a-16g, were evaluated in in vitro and in vivo assays for their potential in treatment of mood disorders. From further SAR investigations, N-(3-{1-[4-(3,4-difluorophenoxy)benzyl]-4-piperidinyl}-4-methylphenyl)-2- methylpropanamide (16g, SNAP 94847) was identified to be a high affinity and selective ligand for the MCH1 receptor. Compound 16g also shows good oral bioavailability (59%) and exhibits a brain/plasma ratio of 2.3 in rats. Compound 16g showed in vivo inhibition of a centrally induced MCH-induced drinking effect and exhibited a dose-dependent anxiolytic effect in the rat social interaction model.
- IT 762300-21-0

RL: PAC (Pharmacological activity); THU (Therapeutic use); BIOL (Biological study); USES (Uses)

(Synthesis and SAR Investigations for Novel Melanin-Concentrating Hormone 1 Receptor (MCH1) Antagonists Part 2: A Hybrid Strategy Combining Key Fragments of HTS Hits)

- RN 762300-21-0 CAPLUS
- CN Benzeneacetamide, N-[3-[4-[2,4-difluoro-5-[(2-methyl-1-oxopropyl)amino]phenyl]-1-piperidinyl]propyl]-4-fluoro- α -(4-fluorophenyl)- (CA INDEX NAME)

RE.CNT 46 THERE ARE 46 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 ANSWER 2 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2007:836911 CAPLUS Full-text

DN 147:365364

TI Synthesis and SAR Investigations for Novel Melanin-Concentrating Hormone 1 Receptor (MCH1) Antagonists Part 1. The Discovery of Arylacetamides as Viable Replacements for the Dihydropyrimidinone Moiety of an HTS Hit

AU Jiang, Yu; Chen, Chien-An; Lu, Kai; Daniewska, Irena; De Leon, John; Kong, Ron; Forray, Carlos; Li, Boshan; Hegde, Laxminarayan G.; Wolinsky, Toni D.; Craig, Douglas A.; Wetzel, John M.; Andersen, Kim; Marzabadi, Mohammad R.

CS Departments of Chemistry Cellular Science and Target Discovery and Assessment, Lundbeck Research USA, Paramus, NJ, 07652-1413, USA

SO Journal of Medicinal Chemistry (2007), 50(16), 3870-3882 CODEN: JMCMAR; ISSN: 0022-2623

PB American Chemical Society

DT Journal

LA English

GΙ

* STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY - AVAILABLE VIA OFFLINE PRINT *

Melanin-concentrating hormone (MCH) is involved in the regulation of feeding, AΒ water balance, energy metabolism, general arousal and attention state, memory, cognitive functions, and psychiatric disorders. Herein, two new chemical series exemplified by N-[5-(1-{3-[2,2-bis-(4-fluoro-phenyl)-acetylamino]propyl}-piperidin-4-yl)-2,4-difluoro-phenyl]-isobutyramide (SNAP 102739) (I) and $N-[3-(1-\{3-[(S)-2-(4-fluoro-phenyl)-propionylamino]-propyl\}- piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4-piperidin-4$ yl)-4-methylphenyl]-isobutyramide (II) are reported. These compds. were designed to improve the pharmacokinetic properties of the high-throughput screening lead compound III (SNAP 7941). The MCH1 receptor antagonists I and II show reasonable pharmacokinetic profiles (rat bioavailability = 48 and 81%, resp.). Compds. I and II demonstrated the inhibition of a centrally administered MCH-evoked drinking effect, and I exhibited oral in vivo efficacy in the rat social interaction model of anxiety, with a min. ED = 0.3 mg/kg. ΙT 762300-21-0P

RL: PAC (Pharmacological activity); PKT (Pharmacokinetics); SPN (Synthetic preparation); BIOL (Biological study); PREP (Preparation)

 $\hbox{(preparation, melanin-concentrating hormone 1 receptor antagonistic activity, and} \\$

SAR of (arylacetylamino)alkylpiperidine derivs.)

RN 762300-21-0 CAPLUS

CN Benzeneacetamide, N-[3-[4-[2,4-difluoro-5-[(2-methyl-1-

oxopropyl)amino]phenyl]-1-piperidinyl]propyl]-4-fluoro- α -(4fluorophenyl) - (CA INDEX NAME)

THERE ARE 58 CITED REFERENCES AVAILABLE FOR THIS RECORD RE.CNT 58 ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 3 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN L6

ΑN 2004:780358 CAPLUS Full-text

DN 141:295863

Preparation of N-(piperidinylalkyl)benzenealkanamides as selective MCH1 TIreceptor antagonists for treatment of obesity and other conditions

Marzabadi, Mohammad R.; Wetzel, John M.; Chen, Chien-An; Jiang, Yu; Lu, IN

Synaptic Pharmaceutical Corporation, USA PΑ

U.S. Pat. Appl. Publ., 87 pp., Cont.-in-part of U.S. Pat. Appl. 2004 SO 73,036.

CODEN: USXXCO

Patent DT

LA FAN.	_	glish 3																
LAIV.		CENT I	NO.			KINI		DATE		APPLICATION NO.						DATE		
PI		2004				A1		2004	0923	US 2004-753057						20	0040	106
		2006 7199		49		B2		2006										
				27					WO 2002-US21063						20020703			
	WO 2003004027 W: AE, AG, AL,																	
		٧٧.						DK,										
								IN,										
								MD,										
				,	•	•	•	SE,	•		•	•				•		
				•				ZA,			·	,	•					
		RW:	GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	ΤŻ,	UG,	ZM,	ZW,	AT,	BE,	BG,
			CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	IE,	IT,	LU,	MC,	NL,
			PT,	SE,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GA,	GN,	GQ,	GW,	ML,	MR,
			NE,	SN,	TD,	ΤG												
		6727								US 2002-188434								
		2004						2004		1	US 2	003-	3450	63		21	0030	114
		2006						2006	-									
		7105						2006			7. F. T. O	004	0067	O 4		2	0040	100
		2004						2004			AU 2 CA 2			_			0040: 0040:	
		2509				A1		2004			WO 2							
	WO 2004064764 WO 2004064764					AZ A3		2004			WO Z	004-	0317	J		20040106		
	WO							AU,		BA.	BB.	BG.	BR.	BW.	BY.	BZ.	CA.	CH,
		** .						DE,										
								ID,										
								LV,										

	ΕP	1590326				A2	2	EP 2004-700366						20040106					
	•	R:	AT,	BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR	, I	ΙΤ,	LI,	LU,	NL,	SE,	MC,	PT,
			IE,	SI,	LT,	LV,	FI,	RO,	MK,	CY,	AL	, I	ΓR,	BG,	CZ,	EE,	HU,	SK	
	BR	2004	00672	25		Α	2	005	1220	E	BR.	200)4-6	6725			21	0040	106
	CN	1735	595			Α	2	0060	0215	C	CN	200)4-8	3000	2080	*	2	0040	106
	JP	2006	5156	18		T	2	0060	0601	J	JΡ	200	06-5	5007	96		2	0040	106
	ZA	2005	0042	18		Α	2	0060	0726	Z	ZA	200	05-4	4218			2	0050	524
	IN	2005	CN01	886		Α	2	0070	0330	I	N	200)5-0	CN18	86		2	0050	810
	ИО	2005	0038	38		Α	2	0050	0815	N	10	200	05-3	3838			2	0050	815
PRAI	US	2001	-303	091P		P	2	0010	0705										
	US	2002	-346	997P		Р	2	0020	0109										
	US	2002	-188	434		A2	2	0020	0703										
	WO	2002	-US2	1063		A2	2	0020	0703										
	US	2003	-345	063		A2	2	0030	0114										
	US	2001	-899	794		Α	2	0010	0705										
	US	2002	-425	82		Α	2	0020	0109										
	WO	2004	-US1	75		. M	2	0040	0106										•
os	MAI	RPAT	141:	2958	63														
GI																			

AB Title compds. I [wherein R1 = independently H, halo, CN, NO2, (cyclo)alkyl, (cyclo)alkenyl, (hetero)aryl, amino, acyl, carbamoyl, etc.; R2, R3 = independently H, halo, CN, NH2, (ún) substituted alkyl, (hetero) aryl; R4 = (cyclo)alkyl, amino, etc.; R5 = independently H, (un)substituted (hetero)aryl, alkyl; R6 = independently H, alkyl; R7 = independently H, alkyl, phenyl(alkyl); n = 1-5; q = 0-2; X = independently CR1, N, provided that ifone X = N, then the remaining X = CR1; or pharmaceutically acceptable salts thereof] were prepared as selective antagonists for melanin-concentrating hormone-1 (MCH1) receptors. For example, amidation of bis(4fluorophenyl) acetic acid with N-[3-[1-(3-aminopropyl)-4-piperidinyl] phenyl]-2-methylpropanamide gave II. The latter showed binding affinity (Ki = 1.3 nM) in a radioligand binding assay using cloned rat MCH1 and produced an increase in bladder capacity in rats relative to baseline capacity in a continuous slow transvesicular infusion model assay. Thus, I and pharmaceutical composition comprising I are useful for the treatment of obesity, depression, anxiety, and other affective, urinary, or eating disorders. IT

piperidinyl]propyl]-2,2-diphenylpropanamide

RL: PAC (Pharmacological activity); RCT (Reactant); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); RACT (Reactant or reagent); USES (Uses)

(MCH1 receptor antagonist; preparation of N-

(piperidinylalkyl) benzenealkanam

ides as MCH1 receptor antagonists for treatment of obesity and other conditions)

RN 762297-70-1 CAPLUS

CN Benzeneacetamide, α -methyl-N-[3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-piperidinyl]propyl]- α -phenyl- (CA INDEX NAME)

RE.CNT 19 THERE ARE 19 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

L6 · ANSWER 4 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:675723 CAPLUS Full-text

DN 141:207056

- TI Preparation of piperidine derivatives as Melanin-concentrating hormone receptor antagonists
- IN Moriya, Minoru; Sakamoto, Toshihiro; Ishikawa, Makoto; Kanatani, Akio; Fukami, Takehiro
- PA Banyu Pharmaceutical Co., Ltd., Japan
- SO PCT Int. Appl., 128 pp.

CODEN: PIXXD2

DT Patent

LA Japanese

FAN.CNT 1

FAN.	CNT 1																
	PATENT	NO.				DATE								D	ATE		
			•		-												
PI	WO 2004069798					20040819		1	WO 2004-JP1326						20040209		
	W:	AE, AG,	AL,	AM,	ΑT,	ΑU,	ΑZ,	BA,	BB,	BG,	BR,	BW,	BY,	ΒZ,	CA,	CH,	
		CN, CO,	CR,	CU,	CZ,	DE,	DK,	DM,	DZ,	EC,	EE,	EG,	ES,	FI,	GB,	GD,	
		GE, GH,	GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	ΚE,	KG,	ΚP,	KR,	ΚZ,	LC,	
		LK, LR,	LS,	LT,	LU,	LV,	MA,	MD,	MG,	MK,	MN,	MW,	MX,	MZ,	NA,	NI	
	RW:	BW, GH,	GM,	KE,	LS,	MW,	MZ,	SD,	SL,	SZ,	TZ,	ŪG,	ZM,	ZW,	AT,	BE,	
		BG, CH,	CY,	CZ,	DE,	DK,	EE,	ES,	FI,	FR,	GB,	GR,	HU,	IE,	IT,	LU,	
		MC, NL,	PT,	RO,	SE,	SI,	SK,	TR,	BF,	ВJ,	CF,	CG,	CI,	CM,	GΑ,	GN,	
		GQ, GW,	ML,	MR,	NE,	SN,	TD,	TG									
	AU 2004	209505		A1		2004	0819		AU 2	004-	2095	05		2	0040	209	
	CA 2515	5717		A1		2004	0819		CA 2	004-	2515	717		2	0040	209	
	EP 1595	867		A1		2005	1116		EP 2	004-	7093	72		2	0040	209	
	R:	AT, BE,	CH,	DE,	DK,	ES,	FR,	GB,	GR,	IT,	LI,	LU,	NL,	SE,	MC,	PT,	
		IE, SI,	LT,	LV,		•											
	US 2006	106046		A1		2006	0518		US 2	005-	5442	61	•	2	0050	803	
PRAI		3-32123															
	WO 2004	-JP1326		Α		2004	0209										
os	DS MARPAT 141:207056																

Title compds. presented by the formula I [wherein R1 = H, hydroxy, (halo)alkyl; R2, R3a, R3b, R5a, R5b = independently H or (halo)alkyl; R4a, R4b = independently H, halo, hydroxy, (halo)alkyl; R6 = H, halo, (halo)alkyl; n = 1-8; W1, W2 = H or W1W2 = OCH2, CH2CH2, CH2O; Z = alkyl or (un)substituted (hetero)cyclic ring; R1Z = (un)substituted (hetero)cyclic ring; Ar = (un)substituted (hetero)aryl; Y1-Y4 = (un)substituted methylene or N; and pharmaceutically acceptable salts thereof] were prepared as melanin concentrating hormone receptor antagonists (no data). For example, II was given in a 3-steps synthesis starting from the reaction of spiro[6-fluoroisobenzofuran-1(3H),4'-piperidine]•HC1 with N-(3-bromopropyl)phthalimide. Thus, I and their pharmaceutical compns. are useful as antagonist against melanin -concentrating hormone receptor for the treatment of CNS diseases, circulatory diseases, or metabolic diseases (no data).

IT 741682-44-0P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of piperidine derivs. as melanin-concentrating hormone receptor

antagonists)

RN 741682-44-0 CAPLUS

CN Benzeneacetamide, 3,4-difluoro-N, α , α -trimethyl-N-[3-[4-[3-[(1-oxopropyl)amino]phenyl]-1-piperidinyl]propyl]- (CA INDEX NAME)

L6 ANSWER 5 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN

AN 2004:344622 CAPLUS Full-text

DN 140:357212

TI Preparation of substituted anilinic piperidines as MCH selective

antagonists

- Marzabadi, Mohammad R.; Wetzel, John; Deleon, John E.; Jiang, Yu; Chen, IN Chien-An; Lu, Kai
- PΑ Synaptic Pharmaceutical Corporation, USA
- U.S., 394 pp. SO CODEN: USXXAM
- DTPatent
- English LA

FAN.	CNT 3				
	PATENT NO.	KIND	DATE	APPLICATION NO.	DATE
DT			20040427	HG 2002 100424	20020702
ΡI	US 6727264	B1	20040427	US 2002-188434	20020703
	US 2004073036	A 1	20040415	US 2003-345063	20030114
	US 2006041139	A9	20060223		
	US 7105544	B2	20060912		
	US 7067534	B1	20060627	US 2003-719358	20031121
	US 2004186103	A1	20040923	·US 2004-753057	20040106
	US 2006084649	A9	20060420		
	US 7199135	B2	20070403		
	US 2006217418	A1	20060928	US 2005-541991	20050705
	US 2007043080	A1	20070222	US 2005-214968	20050830
PRAI	US 2001-303091P	P	20010705		
	US 2002-346997P	P	20020109		
	US 2002-188434	A2	20020703		
	WO 2002-US21063	A2	20020703		
	US 2003-345063	A2	20030114		
	US 2003-719358	A1	20031121		
	WO 2004-US175	W	20040106		
os	MARPAT 140:357212				
GI					

- * STRUCTURE DIAGRAM TOO LARGE FOR DISPLAY AVAILABLE VIA OFFLINE PRINT *
- The title compds. [I (R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl; R3 = AΒ (un) substituted (hetero) aryl; A = H, F, Cl, Br, CN, etc.; X = O, NH; n = 0-5), II (W = III, IV (wherein R1 = H, Me, Et; X = O, NR3, CO, a bond; Y = H, (hetero)aryl; R3 = H, (hetero)aryl); R2 and A as above)] which are selective antagonists for melanin concentrating hormone-1 (MCH1) receptors, were prepared Thus, reacting 2-methyl-N-[3-(4-piperidinyl)phenyl]propanamide (preparation given) with 4-chloro-3', 4'-dimethylbutyrophenone in the presence of K2CO3 and NaI in DMF afforded 80% V which showed Ki of 3.9 nM in cloned rat MCH1 binding assay.
- ΙT 487049-38-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES

(preparation of substituted anilinic piperidines as MCH selective antagonists)

- 487049-38-7 CAPLUS RN
- Benzeneacetamide, 4-fluoro-N-[(1S)-3-[4-[3-[(2-methyl-1-CN oxopropyl)amino]phenyl]-1-piperidinyl]-1-phenylpropyl]- (CA INDEX NAME)

Absolute stereochemistry.

RE.CNT 25 THERE ARE 25 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

ANSWER 6 OF 6 CAPLUS COPYRIGHT 2007 ACS on STN L6

AN 2003:42108 CAPLUS <u>Full-text</u>

138:106601 DN

Preparation of substituted anilinic piperidines as MCH selective ΤI antagonists

Marzabadi, Mohammad R.; Wetzel, John; Deleon, John E.; Jiang, Yu IN

Synaptic Pharmaceutical Corporation, USA PΑ

PCT Int. Appl., 771 pp. SO

CODEN: PIXXD2

DTPatent

	_	glish																	
FAN.			NO.					DATE		APPLICATION NO.						DATE			
ΡI	WO	2003	0040			A1 20030116				 WO	2002 -	 US21		20020703					
		W:	ΑĖ,	AG,	AL,	AM,	ΑT,	AU,	ΑZ,	BA,	ВВ	, BG,	BR,	BY,	ΒZ,	CA,	CH,	CN,	
												, EE,							
			GM,	HR,	HU,	ID,	IL,	IN,	IS,	JP,	KE	, KG,	KΡ,	KR,	ΚZ,	LC,	LK,	LR,	
												, MW,							
			PL,	PT,	RO,	RU,	SD,	SE,	SG,	SI,	SK	, SL,	TJ,	TM,	TN,	TR,	TT,	ΤZ,	
			•	•	•	•	•	ZA,	•										
		RW:					-					, TZ,							
												, GB,							
							BF,	ВJ,	CF,	CG,	CI	, CM,	GA,	GN,	GQ,	G₩,	ML,	MR,	
				SN,												•			
	CA 2454613 AU 2002316531				A1						2002-					0020			
	AU	2002	3165	31		A1					ΑU	2002-	3165	31		21	0020	103	
		U 2002316531 P 1411942						2007				2002-	7160	4.3		2	0020	702	
	ЕP											2002-							
		κ:															MC,	L 1 ,	
	BR	2002	0108	69		Ζ				CY, AL, TR, BG, CZ, BR 2002-10869									
	JP	2004	5361	04		Т	т 20041202			JP 2003-510038						20020703			
	HU	2004	0018	80		- A2	T 20041202 A2 20050128			HU 2004-1880 ZA 2003-9860						20020703			
	ZA	2003	0986	0		Α		2005	0311		ZA 2003-9860					20020703			
	CN	1671	386			Α		2005	0921		CN	2002-	8172	12		2	0020	703	
	ΝZ	5302				Α		2006	0331		ΝZ	2002-	5302	21		2	0020	703	
	US	2004	0730					2004	0415		US	2003-	3450	63					
	US	2006	0411	39				2006	0223										
	US	7105	544			B2		2006	0912										
		2003				Α		2005				2003-		886			0031		
		2004				A		2004				2004-				_	0040		
		2004						2004			US	2004-	7530	57		2	0040	106	
	US	2006	0846	49		Α9		2006	0420										

10/541,991

	US 7199135	В2	20070403		
	IN 2004CN00230	Α	20051209	IN 2004-CN230	20040205
PRA:	I US 2001-899794	A	20010705		
	US 2002-42582	Α	20020109		
	US 2001-303091P	P	20010705		
	US 2002-346997P	P	20020109		
	US 2002-188434	A2	20020703		
	WO 2002-US21063	W	20020703		
	US 2003-345063	A2	20030114		
os	MARPAT 138:106601				
GI					

The title compds. [I (R1 = H, alkyl, aryl, etc.; R2 = alkyl, cyclopropyl; R3 = (un)substituted (hetero)aryl; A = H, F, Cl, Br, CN, etc.; X = O, NH; n = 0-5), II (R1 = (un)substituted (hetero)aryl; R2, A, n as above), etc.] which are selective antagonists for melanin concentrating hormone-1 (MCH1) receptors, were prepared and formulated. Thus, reacting 2-methyl-N-[3-(4-piperidinyl)phenyl]propanamide (preparation given) with 4-chloro-3',4'-dimethylbutyrophenone in the presence of K2CO3 and NaI in DMF afforded 80% II [R1 = R1 = 3,4-Me2C6H3; R2 = iso-Pr; A = H; n = 2] which showed Ki of 3.9 nM in cloned rat MCH1 binding assay.

IT 487049-38-7P

RL: PAC (Pharmacological activity); SPN (Synthetic preparation); THU (Therapeutic use); BIOL (Biological study); PREP (Preparation); USES (Uses)

(preparation of substituted anilinic piperidines as MCH selective antagonists)

RN 487049-38-7 CAPLUS

CN Benzeneacetamide, 4-fluoro-N-[(1S)-3-[4-[3-[(2-methyl-1-oxopropyl)amino]phenyl]-1-piperidinyl]-1-phenylpropyl]- (CA INDEX NAME)

Absolute stereochemistry.

RE.CNT 3 THERE ARE 3 CITED REFERENCES AVAILABLE FOR THIS RECORD ALL CITATIONS AVAILABLE IN THE RE FORMAT

=> log y STN INTERNATIONAL LOGOFF AT 10:42:41 ON 29 OCT 2007